

# Package: nutrition (via r-universe)

September 22, 2024

**Title** Useful Functions for People on a Diet

**Version** 1.1.0

**Description** Contains a collection of functions for performing different kinds of calculation that are of interest to someone following a diet plan. Calculators for the Basal Metabolic Rate are based on Mifflin et al. (1990) <doi:10.1093/ajcn/51.2.241> and McArdle, W. D., Katch, F. I., & Katch, V. L. (2010, ISBN:9780812109917).

**License** GPL (>= 3)

**Encoding** UTF-8

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.2.3

**URL** <https://wleoncio.github.io/nutrition/>

**BugReports** <https://github.com/wleoncio/nutrition/issues>

**Date** 2023-09-28

**Repository** <https://wleoncio.r-universe.dev>

**RemoteUrl** <https://github.com/wleoncio/nutrition>

**RemoteRef** HEAD

**RemoteSha** 1fb3816840bbb90ab169e63b9907493dae806e68

## Contents

bmr . . . . .	2
budget . . . . .	3
carbPct . . . . .	3
fiberGrams . . . . .	4
macroDistro . . . . .	5
pct_of_day . . . . .	5
totalKcal . . . . .	6
<b>Index</b>	<b>7</b>

---

 bmr

*Basal Metabolic Rate*


---

**Description**

Estimates the basal metabolic rate of a person.

**Usage**

```
bmr(weight, age, fat, height, activity = 1.45, method = "msj", gender = "male")
```

**Arguments**

weight	weight, in kilograms
age	age, in years
fat	fat proportion in body
height	height, in centimeters
activity	activity level (a scalar between 1 and 2)
method	calculation method ("msj" for Mifflin-St. Jeor or "kma" for Katch-McArdle)
gender	"male" or "female"

**Value**

The Basal Metabolic Rate, in kilocalories

**Author(s)**

Waldir Leoncio

**References**

<https://www.calculator.net/bmr-calculator.html>

Mifflin, M. D., St Jeor, S. T., Hill, L. A., Scott, B. J., Daugherty, S. A., & Koh, Y. O. (1990). A new predictive equation for resting energy expenditure in healthy individuals. *The American journal of clinical nutrition*, 51(2), 241-247.

McArdle, W. D., Katch, F. I., & Katch, V. L. (2010). *Exercise physiology: nutrition, energy, and human performance*. Lippincott Williams & Wilkins.

**Examples**

```
bmr(67, 40, .12, 178) # for an individual with 12% body fat
```

---

budget	<i>Calorie budget</i>
--------	-----------------------

---

**Description**

Calculates a calorie budget

**Usage**

```
budget(wt_delta_per_week, bmr)
```

**Arguments**

wt_delta_per_week	expected change in weight per week
bmr	Basal Metabolic Rate, in kilocalories

**Value**

Calorie targets per day

**Author(s)**

Waldir Leoncio

**References**

<https://help.loseit.com/hc/en-us/articles/115007245847-How-the-Calorie-Budget-is-Calculated>

**Examples**

```
BMR <- bmr(66, 40, .12, 178, method = "kma")
budget(0, BMR) # for weight maintenance with a weekend bonus
budget(.25, BMR) # for a slight weight gain
```

---

carbPct	<i>Percentage of carbs in food</i>
---------	------------------------------------

---

**Description**

Calculates how much of the energy content comes from carbohydrates.

**Usage**

```
carbPct(fat, carbs, protein, fiber = 0, kcal = 0)
```

**Arguments**

fat	grams of fat per unit of measurement (e.g. 100 g)
carbs	grams of carbohydrates per unit of measurement (e.g. 100 g)
protein	grams of protein per unit of measurement (e.g. 100 g)
fiber	grams of fiber per unit of measurement (e.g. 100 g)
kcal	total energy per unit of measurement (e.g. 100 g)

**Value**

percentage of energy from carbs

**Author(s)**

Waldir Leoncio

**Examples**

```
carbPct(57, 11, 19, 8)
```

---

fiberGrams

*Calculate the amount of fiber in food*

---

**Description**

Sometimes, nutritional labels fail to inform the amount of fiber it contains. This function helps one estimate this given other parameters.

**Usage**

```
fiberGrams(kcal, fat, carbs, protein)
```

**Arguments**

kcal	total energy per unit of measurement (e.g. 100 g)
fat	grams of fat per unit of measurement (e.g. 100 g)
carbs	grams of carbohydrate per unit of measurement (e.g. 100 g)
protein	grams of protein per unit of measurement (e.g. 100 g)

**Value**

Grams of fiber per unit of measurement

**Author(s)**

Waldir Leoncio

**Examples**

```
fiberGrams(362, 17, 11, 40)
```

---

macroDistro	<i>Macro distribution</i>
-------------	---------------------------

---

**Description**

Calculates the percentage of energy from each macronutrient.

**Usage**

```
macroDistro(fat, carbs, protein, fiber = 0)
```

**Arguments**

fat	grams of fat per unit of measurement (e.g. 100 g)
carbs	grams of carbohydrates per unit of measurement (e.g. 100 g)
protein	grams of protein per unit of measurement (e.g. 100 g)
fiber	grams of fiber per unit of measurement (e.g. 100 g)

**Value**

vector with the energy ratio from each macronutrient

**Author(s)**

Waldir Leoncio

**Examples**

```
macroDistro(12, 40, 32, 1)
macroDistro(12, 40, 32)
```

---

pct_of_day	<i>Table of hour of day and percentage of day</i>
------------	---

---

**Description**

Table of hour of day and percentage of day

**Usage**

```
pct_of_day
```

**Format**

An object of class `data.frame` with 25 rows and 2 columns.

---

`totalKcal`*Total calories*

---

**Description**

Calculate the total caloric content of an item given the weight of its macronutrients

**Usage**

```
totalKcal(fat, carbs, protein, fiber = 0)
```

**Arguments**

fat	grams of fat per unit of measurement (e.g. 100 g)
carbs	grams of carbohydrates per unit of measurement (e.g. 100 g)
protein	grams of protein per unit of measurement (e.g. 100 g)
fiber	grams of fiber per unit of measurement (e.g. 100 g)

**Value**

Total energy content per unit of measurement

**Author(s)**

Waldir Leoncio

**Examples**

```
totalKcal(48, 1.7, 29)
```

# Index

\* **datasets**

pct\_of\_day, 5

bmr, 2

budget, 3

carbPct, 3

fiberGrams, 4

macroDistro, 5

pct\_of\_day, 5

totalKcal, 6